



SPENCERPORT CENTRAL SCHOOL DISTRICT

2017-2018 School Year

New York State Immunization Requirements for School Entrance/Attendance

For grades Pre-k through 8, intervals between doses of vaccine should be in accordance with the ACIP-recommended immunization schedule for persons 0 through 18 years of age. (Exception: intervals between doses of polio vaccine need to be reviewed only for grades kindergarten, 1,2 6,7 and 8.) Doses received before the minimum age or intervals are not valid and do not count toward the number of doses listed below. Intervals between doses of vaccine DO NOT need to be reviewed for grades 9 through 12

Prekindergarten (Day Care, Head Start, Nursery or Pre-K)	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/DTP)	4 doses
Polio vaccine (IPV/OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	1 dose
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	1 dose
Hemophilus influenzae type b conjugate vaccine (Hib)	1 to 4 doses
Pneumococcal Vaccine (PCV)	1 to 4 doses
Kindergarten through Grade 2	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/DTP)	5 doses or 4 doses if the 4 th dose was received at 4 years of age or 3 doses if series started at 7 years of age or older
Polio vaccine (IPV/OPV)	4 doses or 3 doses if the 3 rd dose was received at 4 years of age or older
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	2 doses
Grades 3 through 5	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/DTP)	5 doses or 4 doses if the 4 th dose was received at 4 years of age or 3 doses if series started at 7 years of age or older
Polio vaccine (IPV/OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses
Varicella (Chickenpox) vaccine	1 dose
Grades 6 through 8	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/DTP)	3 doses
Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine booster (Tdap)	1 dose
Polio vaccine (IPV/OPV)	4 doses or 3 doses if the 3 rd dose was received at 4 years of age or older
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 2 mumps 1 rubella)
Hepatitis B vaccine	3 doses or 2 doses of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 - 15 years of age
Varicella (Chickenpox) vaccine	2 doses
Grades 7 and 12	
Meningococcal vaccine	1 dose in 7 th grade 2 doses in 12 th grade one being a booster or 1 dose on or after the age of 16
Grades 9 through 12	
Diphtheria and Tetanus toxoid-containing vaccine and Pertussis Vaccine (DTaP/DTP)	3 doses
Tetanus and Diphtheria toxoid-containing vaccine and Pertussis vaccine booster (Tdap)	1 dose
Polio vaccine (IPV/OPV)	3 doses
Measles, Mumps and Rubella vaccine (MMR)	2 doses (2 measles, 1 mumps 1 rubella)
Hepatitis B vaccine	3 doses or 2 doses of adult hepatitis B vaccine (Recombivax) for children who received the doses at least 4 months apart between the ages of 11 - 15 years of age
Varicella (Chickenpox) vaccine	1 dose

Our Mission is to educate and inspire each student to love learning, pursue excellence and use knowledge, skills and attitudes to contribute respectfully and confidently to an ever-changing global community.